

DAFTAR PUSTAKA

- Abegaz, T., Mekonnen, G., Gebreyohannes, E. and Gelaye, K. (2018). Treatment Outcome Of Diabetic Ketoacidosis Among Patients Atending General Hospital In North-West Ethiopia: Hospital Based Study. [online] Available at: <https://www.biorxiv.org/content/10.1101/441964v1.full> [Accessed 20 Jun. 2019].
- Adrogué, H., Eknoyan, G. and Suki, W. (1984). Diabetic ketoacidosis: Role of the kidney in the acid-base homeostasis re-evaluated. *Kidney International*, [pdf] 25(4), pp.591-598.
- Åkesson, K., Hanberger, L. and Samuelsson, U. (2014). The influence of age, gender, insulin dose, BMI, and blood pressure on metabolic control in young patients with type 1 diabetes. *Pediatric Diabetes*, [pdf] 16(8), pp.581-586.
- Almalki, M., Buhary, B., Khan, S., Almaghamisi, A. and Alshahrani, F. (2016). Clinical and Biochemical Characteristics of Diabetes Ketoacidosis in a Tertiary Hospital in Riyadh. *Clinical Medicine Insights: Endocrinology and Diabetes*, [pdf] 9, pp.7-11.
- Alves, C., Casqueiro, J. and Casqueiro, J. (2012). Infections in patients with diabetes mellitus: A review of pathogenesis. *Indian Journal of Endocrinology and Metabolism*, [pdf] 16(7), p.27.
- American Diabetes Association, 2011, 'Diagnosis and Classification of Diabetes Mellitus', *Diabetes Care*, [pdf] 34(Supplement_1), pp.S62-S69.
- American Diabetes Association, 2013, 'Economic Costs of Diabetes in the U.S. in 2012', *Diabetes Care*, 36(4), pp.1033-1046.
- American Diabetes Association, 2018, '2. Classification and Diagnosis of Diabetes: Standards of Medical Care in Diabetes—2018', *Diabetes Care*, 41(Supplement 1), pp.S13-S27.
- Anthanont, P., Khawcharoenporn, T. and Tharavanij, T. (2012). Incidences and Outcomes of Hyperglycemic Crises: A 5-Year Study in a Tertiary Care Center in Thailand. *JMAT*, [pdf] 95(8), pp.995-1002.
- Barski, L., Nevzorov, R., Rabaev, E., Jotkowitz, A., Harman-Boehm, I., Zektser, M., Zeller, L., Shleyfer, E. and Almog, Y. (2012). Diabetic Ketoacidosis: Clinical Characteristics, Precipitating Factors and Outcomes of Care. *IMAJ*, [pdf] pp.299-303.
- Buchanan, T., Xiang, A. dan Page, K., 2012, 'Gestational diabetes mellitus: risks and management during and after pregnancy', *Nature Reviews Endocrinology*, 8(11), pp.639-649.
- Burge, M., Hardy, K. and Schade, D. (1993). Short-term fasting is a mechanism for the development of euglycemic ketoacidosis during periods of insulin deficiency. *The Journal of Clinical Endocrinology & Metabolism*, [abstract] 76(5), pp.1192-1198.
- Cheng, P., Hsu, S. and Cheng, Y. (2016). Association between Serum Albumin Concentration and Ketosis Risk in Hospitalized Individuals with Type 2 Diabetes Mellitus. *Journal of Diabetes Research*, [pdf] 2016, pp.1-5.
- Chiasson, J. L., Aris-Jilwan, N., Bélanger, R., Bertrand, S., Beauregard, H., Ekoé, J. M., Fournier, H., dan Havrankova, J., (2003). Diagnosis and treatment of diabetic ketoacidosis and the hyperglycemic hyperosmolar state. *CMAJ* :

- Canadian Medical Association journal = journal de l'Association medicale canadienne*, [pdf] 168(7), 859–866.
- Chung, S., Perue, G., Johnson, A., Younger, N., Hoo, C., Pascoe, R. and Boyne, M. (2006). Predictors of hyperglycaemic crises and their associated mortality in Jamaica. *Diabetes Research and Clinical Practice*, [abstract] 73(2), pp.184-190.
- De Feo, P., Gaisano, M. and Haymond, M. (1991). Differential effects of insulin deficiency on albumin and fibrinogen synthesis in humans. *Journal of Clinical Investigation*, [pdf] 88(3), pp.833-840.
- Desai, D., Mehta, D., Mathias, P., Menon, G. and Schubart, U. (2018). Health Care Utilization and Burden of Diabetic Ketoacidosis in the U.S. Over the Past Decade: A Nationwide Analysis. *Diabetes Care*, [pdf] 41(8), pp.1631-1638.
- Desse, T., Eshetie, T. and Gudina, E. (2015). Predictors and treatment outcome of hyperglycemic emergencies at Jimma University Specialized Hospital, southwest Ethiopia. *BMC Research Notes*, [pdf] 8(1).
- Edelstein C. L. (2008). Biomarkers of acute kidney injury. *Advances in chronic kidney disease*, [pdf] 15(3), 222–234.
- Filis, C., Vasileiadis, I., & Koutsoukou, A. (2018). Hyperchloraemia in sepsis. *Annals of intensive care*, [pdf] 8(1), 43.
- George, J., Mishra, A. and Iyadurai, R. (2018). Correlation between the outcomes and severity of diabetic ketoacidosis: A retrospective pilot study. *Journal of Family Medicine and Primary Care*, [pdf] 7(4), p.787.
- Gosmanov, A., Gosmanova, E. dan Dillard-Cannon, E., 2014, 'Management of adult diabetic ketoacidosis', *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, p.255.
- Gosmanov, A.R., Gosmanova, E.O., dan Kitabchi, A.E., 2000, 'Hyperglycemic Crises: Diabetic Ketoacidosis (DKA), And Hyperglycemic Hyperosmolar State (HHS)', [online] Available at: <https://www.ncbi.nlm.nih.gov/books/NBK279052/> [Accessed at 24 April 2018].
- Gounden V, Jialal I. (2019). Renal Function Tests. *StatPearls Publishing*, [online] Available at: <https://www.ncbi.nlm.nih.gov/books/NBK507821/> [Accessed 20 Jun. 2019]
- Hamed, Z., Gawaly, A., Abbas, K. and El Ahwal, L. (2017). Epidemiology of infection as a precipitating factor for diabetic ketoacidosis at Tanta University Hospital. *Tanta Medical Journal*, [pdf] 45(2), p.68.
- Health Promotion Board Singapore. (2016). Urinary tract infection. Healthhub.sg [online] Available at: <http://www.healthhub.sg/a-z/diseases-and-conditions/210/urinarytractinfection> [Accessed at 25 Aug 2019].
- Holler JW. Potassium deficiency occurring during the treatment of diabetic acidosis. *J Am Med Assoc*. 1946;131:1186–1189.
- Ikatan Dokter Anak Indonesia, 2015, 'Konsensus Nasional Pengelolaan Diabetes Mellitus Tipe 1', [pdf] Available at: [http://www.idai.or.id/wp-content/uploads/2016/06/Konsensus%20Endokrin%20DM%20tipe%201%20\(2015\).pdf](http://www.idai.or.id/wp-content/uploads/2016/06/Konsensus%20Endokrin%20DM%20tipe%201%20(2015).pdf) [Accessed at 26 April 2018].
- Kearney, T. and Dang, C. (2007). Diabetic and endocrine emergencies. *Postgraduate Medical Journal*, [pdf] 83(976), pp.79-86.
- Khanolkar, A., Amin, R., Taylor-Robinson, D., Viner, R., Warner, J., Gevers, E. and Stephenson, T. (2017). Diabetic Ketoacidosis Severity at Diagnosis and Glycaemic Control in the First Year of Childhood Onset Type 1 Diabetes—A Longitudinal Cohort Study. *International Journal of Environmental Research and Public Health*, [pdf] 15(1), p.26.

- Kitabchi, A. and Nyenwe, E. (2006). Hyperglycemic Crises in Diabetes Mellitus: Diabetic Ketoacidosis and Hyperglycemic Hyperosmolar State. *Endocrinology and Metabolism Clinics of North America*, [abstract] 35(4), pp.725-751.
- Kitabchi, A., Umpierrez, G., Murphy, M., Barrett, E., Kreisberg, R., Malone, J. and Wall, B. (2001). Management of Hyperglycemic Crises in Patients With Diabetes. *Diabetes Care*, [pdf] 24(1), pp.131-153.
- Kitabchi, A., Umpierrez, G., Miles, J. dan Fisher, J., 2009, 'Hyperglycemic Crises in Adult Patients with Diabetes', *Diabetes Care*, [online] 32(7), pp.1335-1343.
- Konstantinov, N. K., Rohrscheib, M., Agaba, E. I., Dorin, R. I., Murata, G. H., & Tzamaloukas, A. H. (2015). Respiratory failure in diabetic ketoacidosis. *World journal of diabetes*, [pdf] 6(8), 1009–1023.
- Koul, P. (2008). Diabetic Ketoacidosis: A Current Appraisal of Pathophysiology and Management. *Clinical Pediatrics*, [pdf] 48(2), pp.135-144.
- Kreider, K. (2018). Updates in the Management of Diabetic Ketoacidosis. *The Journal for Nurse Practitioners*, [pdf] 14(8), pp.591-597.
- Kumar, V., Abbas, A. K., & Aster, J. C. (2015). Robbins and Cotran Pathologic Basis of Disease (Ninth edition.). Philadelphia, PA: Elsevier/Saunders.
- Laffel, L. (1999). Ketone bodies: a review of physiology, pathophysiology and application of monitoring to diabetes. *Diabetes/Metabolism Research and Reviews*, [pdf] 15(6), pp.412-426.
- Lee, M., Calder, G., Santamaria, J. and MacIsaac, R. (2018). Diabetic ketoacidosis in adult patients: an audit of factors influencing time to normalisation of metabolic parameters. *Internal Medicine Journal*, [pdf] 48(5), pp.529-534.
- Liamis, G. (2014). Diabetes mellitus and electrolyte disorders. *World Journal of Clinical Cases*, [pdf] 2(10), p.488.
- Lloyd, C., Kalinyak, J., Hutson, S. and Jefferson, L. (1987). Stimulation of albumin gene transcription by insulin in primary cultures of rat hepatocytes. *American Journal of Physiology-Cell Physiology*, [pdf] 252(2), pp.C205-C214.
- Maciel, A. and Park, M. (2009). A physicochemical acid-base approach for managing diabetic ketoacidosis. *Clinics*, [pdf] 64(7), pp.714-718.
- Mahapatra, S. dan Heffner, AC. (2019). Septic Shock (Sepsis). *StatPearls Publishing* [online]. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK430939/> [Accessed at 22 Aug 2019].
- Mahran, H., Saber, L., Alghaithy, A. and Elareefy, A. (2017). The role of elevated alanine aminotransferase (ALT), FasL and atherogenic dyslipidemia in type II diabetes mellitus. *Journal of Taibah University Medical Sciences*, [pdf] 12(1), pp.8-13.
- Malone, M., Gennis, V. and Goodwin, J. (1992). Characteristics of Diabetic Ketoacidosis in Older versus Younger Adults. *Journal of the American Geriatrics Society*, [pdf] 40(11), pp.1100-1104.
- Martin, K., & Weiss, S. L. (2015). Initial resuscitation and management of pediatric septic shock. *Minerva pediatrica*, [pdf] 67(2), pp.141–158.
- Maskey, R., Shakya, D., Nikesh, B., Krishna, K., Lavaju, P., Kattel, V., Arjyal, L. and Karki, P. (2015). Clinical profile of diabetic ketoacidosis in tertiary care hospital of Eastern Nepal. *Indian Journal of Endocrinology and Metabolism*, [pdf] 19(5), p.673.
- Mathur S, Mehta DK, Kapoor S, Yadav S. (2016). Liver Function in Type-2 Diabetes Mellitus Patients. *Int J Sci Stud*. [pdf] 3(10):43-47.

- Mendez, Y., Surani, S. dan Varon, J., 2017, 'Diabetic ketoacidosis: Treatment in the intensive care unit or general medical/surgical ward?', *World Journal of Diabetes*, [pdf] 8(2), p.40.
- Minardi, D., d'Anzeo, G., Cantoro, D., Conti, A., & Muzzonigro, G. (2011). Urinary tract infections in women: etiology and treatment options. *International journal of general medicine*, [pdf] 4, 333–343.
- Moraes, A. and Surani, S. (2019). Effects of diabetic ketoacidosis in the respiratory system. *World Journal of Diabetes*, [pdf] 10(1), pp.16-22.
- Munro, J., Campbell, I., McCuish, A. and Duncan, L. (1973). Euglycaemic Diabetic Ketoacidosis. *BMJ*, [pdf] 2(5866), pp.578-580.
- Naveed, D., Bilal, N., Nasir, B. and Lodhi, B. (2009). Precipitating Factors of Diabetic Ketoacidosis. *KMUJ*, [pdf] 1(1), pp.6-8.
- Nyenwe, E., Razavi, L., Kitabchi, A., Khan, A. and Wan, J. (2010). Acidosis: The Prime Determinant of Depressed Sensorium in Diabetic Ketoacidosis. *Diabetes Care*, [pdf] 33(8), pp.1837-1839.
- Orban, J., Maizi re, E., Ghaddab, A., Van Obberghen, E. and Ichai, C. (2014). Incidence and Characteristics of Acute Kidney Injury in Severe Diabetic Ketoacidosis. *PLoS ONE*, [pdf] 9(10), p.e110925.
- Otieno, C., Kayima, J., Mbugua, P., Amayo, A. and Mcligeyo, S. (2010). Prognostic Factors in Patients Hospitalised with Diabetic Ketoacidosis at Kenyatta National Hospital, Nairobi. *East African Medical Journal*, [pdf] 87(2), pp.66-73.
- Ozougwu, J., Obimba, K., Belonwu, C. dan Unakalamba, C., 2013, 'The pathogenesis and pathophysiology of type 1 and type 2 diabetes mellitus', *Journal of Physiology and Pathophysiology*, [pdf] 4(4), pp.46-57.
- Peavy, D., Taylor, J. and Jefferson, L. (1985). Time course of changes in albumin synthesis and mRNA in diabetic and insulin-treated diabetic rats. *American Journal of Physiology-Endocrinology and Metabolism*, [pdf] 248(6), pp.E656-E663.
- Persatuan Endokrinologi Indonesia, 2015, 'Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia', [pdf] Available at: <http://pbperkeni.or.id/doc/konsensus.pdf> [Accessed at 26 April 2018].
- Polonsky, W., Anderson, B., Lohrer, P., Aponte, J., Jacobson, A. and Cole, C. (1994). Insulin Omission in Women With IDDM. *Diabetes Care*, [abstract] 17(10), pp.1178-1185.
- Prajapati, BK. (2017). Clinical Profile of Diabetic Ketoacidosis in Adults in Dhulikhel Hospital. *Kathmandu Univ Med J*, [pdf] 57(1), pp.25-28.
- Qian, K., Zhong, S., Xie, K., Yu, D., Yang, R. and Gong, D. (2015). Hepatic ALT isoenzymes are elevated in gluconeogenic conditions including diabetes and suppressed by insulin at the protein level. *Diabetes/Metabolism Research and Reviews*, [pdf] 31(6), pp.562-571.
- Rao, V., Pradhan, B., Mallikarjuna, Y. and Reddy, R. (2012). Clinical profile of diabetic ketoacidosis in adults. *Health Renaissance*, [pdf] 10(2), pp.80-86.
- Rawla, P., Vellipuram, A., Bandaru, S. and Pradeep Raj, J. (2017). Euglycemic diabetic ketoacidosis: a diagnostic and therapeutic dilemma. *Endocrinology, Diabetes & Metabolism Case Reports*, [pdf] 2017.
- Seth, P., Kaur, H. and Kaur, M. (2015). Clinical Profile of Diabetic Ketoacidosis: A Prospective Study in a Tertiary Care Hospital. *JOURNAL OF CLINICAL AND DIAGNOSTIC RESEARCH*, [pdf] 9(6), pp.OC01-OC04.
- Suetrong, B., Pisitsak, C., Boyd, J. H., Russell, J. A., & Walley, K. R. (2016). Hyperchloremia and moderate increase in serum chloride are associated with

- acute kidney injury in severe sepsis and septic shock patients. *Critical care (London, England)*, [pdf] 20(1), 315.
- Sugiyono, 2011, 'Metode Penelitian Kuantitatif, Kualitatif, dan R&D', Bandung: Alfabeta.
- Suwarto, S., Sutrisna, B., Waspadji, S. dan Pohan, H., 2014, 'Predictors of Five Days Mortality in Diabetic Ketoacidosis Patients: a Prospective Cohort Study', *Acta Medica Indonesiana - The Indonesian Journal of Internal Medicine*, 46(1), p.20.
- Tan, C. W., & Chlebicki, M. P. (2016). Urinary tract infections in adults. *Singapore medical journal*, [pdf] 57(9), 485–490.
- Thewjitcharoen, Y., Plianpan, P., Chotjirat, A., Nakasatien, S., Chotwanvirat, P., Wanothayaroj, E., Krittiyawong, S. and Himathongkam, T. (2019). Clinical characteristics and outcomes of care in adult patients with diabetic ketoacidosis: A retrospective study from a tertiary diabetes center in Thailand. *Journal of Clinical & Translational Endocrinology*, [pdf] 16, p.100188.
- Thomsen, R.W., and Mor, A. (2012). Diabetes and Risk of Community-Acquired Respiratory Tract Infections, Urinary Tract Infections, and Bacteremia. *The Open Infectious Diseases Journal*, [pdf] 6, (Suppl 1: M2) 27-39.
- Tunceli, K., Bradley, C., Nerenz, D., Williams, L., Pladevall, M. dan Elston Lafata, J., 2005, 'The Impact of Diabetes on Employment and Work Productivity', *Diabetes Care*, 28(11), pp.2662-2667.
- Usman, A., Sulaiman, S., Khan, A. and Adnan, A. (2015). Profiles of Diabetic Ketoacidosis in Multiethnic Diabetic Population of Malaysia. *Tropical Journal of Pharmaceutical Research*, [pdf] 14(1), p.179.
- Venkatesh, B., Pilcher, D., Prins, J., Bellomo, R., Morgan, T. J., & Bailey, M. (2015). Incidence and outcome of adults with diabetic ketoacidosis admitted to ICUs in Australia and New Zealand. *Critical care (London, England)*, [pdf] 19, 451.
- Weinert, L., Scheffel, R., Severo, M., Cioffi, A., Teló, G., Boschi, A. and Schaan, B. (2012). Precipitating factors of diabetic ketoacidosis at a public hospital in a middle-income country. *Diabetes Research and Clinical Practice*, [pdf] 96(1), pp.29-34.
- WHO, 2016, 'Global Report on Diabetes', [pdf] Available at: http://apps.who.int/iris/bitstream/handle/10665/204871/9789241565257_eng.pdf;jsessionid=9E87C6C58259AED554C91BA0ED2A7BDF?sequence=1 [Accessed at 12 April 2018].